

- nri	200	<u> </u>		070
		•	u	laze
P		-		

Revision date: 22.11.2021

Product code: PS204

Page 1 of 10

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

primoglaze

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

dental use

## 1.3. Details of the supplier of the safety data sheet

<b>Manufacturer</b> Company name: Street: Place:	DeltaMed GmbH Raiffeisenstr. 8a 61169 Friedberg (GER)	
Telephone: e-mail: Internet:	+49 6031 7283-0 info@deltamed.de www.deltamed.de	Telefax: +49 6031 7283-29
<b>Supplier</b> Company name: Street: Place:	primotec - Joachim Mosch e.K Tannenwaldallee 4 61348 Bad Homburg (GER)	
Telephone: e-mail: Internet: Responsible Department:	+49 (0)6172-997700-0 primotec@primogroup.de www.primogroup.de F&E Telefax +49 (0)6172-997700-99	Telefax: +49 (0)6172-997700-99
<u>1.4. Emergency telephone</u> number:	Giftinformationszentrum Universitätsklinikum Telefon +49 (0)6131-19240	n Mainz

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Hazard categories: Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Dam. 1 Respiratory or skin sensitisation: Skin Sens. 1 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 3 Hazard Statements: Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. May cause respiratory irritation. Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

## **GB CLP Regulation**

### Hazard components for labelling

methyl methacrylate

2-Propenoic acid, reaction products with pentaerythritol (PETIA / PETTA) Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)



	primoglaze	
Revision date: 22.11.2021	Product code: PS204	Page 2 of 10
Signal word:	Danger	
Pictograms:		
Hazard statements		
H225	Highly flammable liquid and vapour.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H335	May cause respiratory irritation.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary statemer	nts	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P280	Wear protective gloves/protective clothing/eye protection.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P302+P350	IF ON SKIN: Gently wash with plenty of soap and water.	
P501	Dispose of contents/container in accordance with local regulation.	
2.3. Other hazards No information availa	able.	

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Chemical characterization

Mixture of acrylic resins and initiators.

#### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
80-62-6	methyl methacrylate			40 - 70 %
	201-297-1	607-035-00-6		
	Flam. Liq. 2, Skin Irrit. 2, Skin S	ens. 1, STOT SE 3; H225 H3	15 H317 H335	
	acrylic resin	30 - 50 %		
	Skin Irrit. 2, Eye Irrit. 2; H315 H	319		
1245638-61-2	2-Propenoic acid, reaction prod	< 20 %		
	629-850-6			
	Acute Tox. 4, Skin Irrit. 2, Eye D H411			
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl	< 3 %		
	278-355-8	015-203-00-X		
	Repr. 2, Skin Sens. 1, Aquatic 0			

Full text of H and EUH statements: see section 16.



## Safety Data Sheet

according to UK REACH Regulation

primog	270
DINIUG	Iaze

Revision date: 22.11.2021

Product code: PS204

Page 3 of 10

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc.	Limits, M-factors and ATE				
80-62-6	32-6 201-297-1 methyl methacrylate					
	inhalation: LC50 = 78 mg/l (vapours); dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg					
1245638-61-2	629-850-6	2-Propenoic acid, reaction products with pentaerythritol (PETIA / PETTA)	< 20 %			
	inhalation: LC50 = > 5 mg/l (dusts or mists); oral: ATE = 500 mg/kg					
75980-60-8	8 278-355-8 Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)		< 3 %			
	oral: LD50 = >	5000 mg/kg				

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

## **General information**

Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours. Take off all contaminated clothing immediately.

## After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

## After ingestion

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Rinse mouth immediately and drink plenty of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

## Unsuitable extinguishing media

Water, Full water jet

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated:Hazardous decomposition products

## 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

## Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**



Revision date: 22.11.2021

Product code: PS204

Page 4 of 10

## 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

## 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidising agent.

#### Further information on storage conditions

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

## 7.3. Specific end use(s)

dental use

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
80-62-6	Methyl methacrylate	50	208		TWA (8 h)	WEL
		100	416		STEL (15 min)	WEL

## 8.2. Exposure controls



0	ri	m	0	a	la	Z	e
•	•••	••••	v	9	iu	~	u

Revision date: 22.11.2021

t Product code: PS204

Page 5 of 10

## Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

tightly fitting goggles

#### Hand protection

Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

## Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	stinging	
		Test method
Changes in the physical state		
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	100 °C	
Flash point:	10 °C	DIN 51755
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Lower explosion limits:	2,1	
Upper explosion limits:	12,5	
Auto-ignition temperature:	430 °C	DIN 51794
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
pH-Value:	not determined	
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Relative vapour density:	not determined	
.2. Other information		
Other safety characteristics		
Solid content:	not determined	
Evaporation rate:	not determined	
Evaporation rate:	not determined	



## primoglaze

Revision date: 22.11.2021

Product code: PS204

Page 6 of 10

## **Further Information**

Product has not been tested. The statement is derived from the properties of the components.

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable, Ignition hazard.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

## 10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

## 10.4. Conditions to avoid

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

#### 10.5. Incompatible materials

Oxidising agent, Reducing agent, Heavy metals, Peroxides

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name								
	Exposure route	Dose		Species	Source	Method			
80-62-6	methyl methacrylate								
	oral	LD50 mg/kg	> 5000	Rat					
	dermal	LD50 mg/kg	> 5000	Rat					
	inhalation (4 h) vapour	LC50	78 mg/l	RTECS					
1245638-61- 2	2-Propenoic acid, reaction	n products w	ith pentaeryt	thritol (PETIA / PETTA)					
	oral	ATE mg/kg	500						
	inhalation (4 h) aerosol	LC50	> 5 mg/l	Rat					
75980-60-8	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)								
	oral	LD50 mg/kg	> 5000	Rat	RTECS				

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.



## primoglaze

Revision date: 22.11.2021

Product code: PS204

Page 7 of 10

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### Additional information on tests

The mixture is classified as hazardous according to Directive 1999/45/EC.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name										
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method				
80-62-6	methyl methacrylate	methyl methacrylate									
	Acute fish toxicity	LC50 mg/l	> 79		Oncorhynchus mykiss (Rainbow trout)						
	Acute crustacea toxicity	EC50	69 mg/l		Daphnia magna (Big water flea)						
75980-60-8	Diphenyl(2,4,6-trimethylbe	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (TPO)									
	Acute crustacea toxicity	EC50 mg/l	3,53	48 h	Daphnia						

#### 12.2. Persistence and degradability

The product has not been tested.

## 12.3. Bioaccumulative potential

The product has not been tested.

## 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

## 12.7. Other adverse effects

No information available.

## Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Small quantities can be polymerized by light and the cured solid material can be disposed of with the regular garbage. Larger quantities must be disposed of following the regulations of the local authorities. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

070208 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic rubber and man-made fibres; other still bottoms and reaction residues; hazardous waste

#### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**



primoglaze		
Revision date: 22.11.2021	Product code: PS204	Page 8 of 10
Land transport (ADR/RID)		
14.1. UN number or ID number:	UN 1247	
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:	3	
Classification code:	F1	
Limited quantity:	1 L	
Transport category:	2	
Hazard No:	339	
Tunnel restriction code:	D/E	
Other applicable information (land trans	sport)	
Inland waterways transport (ADN)		
<u>14.1. UN number or ID number:</u>	UN 1247	
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	1 L	
Other applicable information (inland wa E2	iterways transport)	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1247	
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	-	
Limited quantity:	1L	
EmS:	F-E, S-D	
Other applicable information (marine tra E2	ansport)	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1247	
14.2. UN proper shipping name:	METHYL METHACRYLATE MONOMER, STABILIZED	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
Other applicable information (air transp Passenger-LQ: Y341 E2	ort)	



## primoglaze

Revision date: 22.11.2021

Product code: PS204

Page 9 of 10

## 14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

#### Additional information

Observe employment restrictions for young people. Observe employment restrictions for child bearing mothers and nursing (Directive 92/85/EEC).

#### National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Changes

SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

## Relevant H and EUH statements (number and full text)

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



## Safety Data Sheet

according to UK REACH Regulation

primoglaze

Revision date: 22.11.2021

Product code: PS204

Page 10 of 10

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)