



according to Regulation (EC) No 1907/2006

## primoclean

Product code: 1370160 Print date: 30.01.2023 Page 1 of 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

primoclean

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

dental use

### 1.3. Details of the supplier of the safety data sheet

primotec - Joachim Mosch e.K Company name:

Street: Tannenwaldallee 4 Place: D-61348 Bad Homburg

Telephone: +49 (0)6172-997700-0 Telefax: +49 (0)6172-997700-99

e-mail: primotec@primogroup.de Internet: www.primogroup.de

Responsible Department: F&E

Telefax +49 (0)6172-997700-99

1.4. Emergency telephone Giftinformationszentrum Universitätsklinikum Mainz

Telefon +49 (0)6131-19240 number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable, Xi - Irritant

R phrases: Highly flammable. Irritating to eyes.

Vapours may cause drowsiness and dizziness.

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.

### 2.2. Label elements

## Hazardous components which must be listed on the label

propan-2-ol

Signal word: Danger Pictograms: GHS02-GHS07





## **Hazard statements**

H225 Highly flammable liquid and vapour. Causes serious eye irritation. H319



according to Regulation (EC) No 1907/2006

primoclean

Print date: 30.01.2023 Product code: 1370160 Page 2 of 8

H336 May cause drowsiness or dizziness.

**Precautionary statements** 

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P280 Wear protective gloves/protective clothing/eye protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

#### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

#### **Hazardous components**

EC No	Chemical name	Quantity		
CAS No	Classification according to Directive 67/548/EEC			
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
REACH No				
200-661-7	propan-2-ol	95 - < 100 %		
67-63-0	F - Highly flammable, Xi - Irritant R11-36-67			
603-117-00-0	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of R-, H- and EUH-phrases: see section 16.

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours. Take off all contaminated clothing immediately.

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

## After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**





according to Regulation (EC) No 1907/2006

## primoclean

Print date: 30.01.2023 Product code: 1370160 Page 3 of 8

#### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

### Unsuitable extinguishing media

Water, Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. In case of fire may be liberated: Hazardous decomposition products

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

## 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray.

## Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Advice on storage compatibility

Do not store together with: Oxidising agent.

### Further information on storage conditions

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C.

## 7.3. Specific end use(s)

dental use

### **SECTION 8: Exposure controls/personal protection**



according to Regulation (EC) No 1907/2006

## primoclean

Print date: 30.01.2023 Product code: 1370160 Page 4 of 8

#### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

#### 8.2. Exposure controls

### Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray.

### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

tightly fitting goggles

### Hand protection

Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

#### Skin protection

Wear suitable protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: liquid
Colour: light blue
Odour: mint

Test method

pH-Value: not determined

Changes in the physical state

Melting point:  $-98,5 \, ^{\circ} C$  Initial boiling point and boiling range:  $82 \, ^{\circ} C$  Flash point:  $12 \, ^{\circ} C$ 

**Flammability** 

Solid: not applicable
Gas: not applicable
Lower explosion limits: 2 vol. %
Upper explosion limits: 12 vol. %

Auto-ignition temperature 425 °C

Solid: not applicable
Gas: not applicable
Decomposition temperature: not determined
Vapour pressure: 48 hPa

(at 20 °C)



according to Regulation (EC) No 1907/2006

### primoclean

Print date: 30.01.2023 Product code: 1370160 Page 5 of 8

Density (at 20 °C): 0,785 g/cm³ Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient: not determined

Vapour density: not determined

Evaporation rate: not determined

9.2. Other information

Solid content: not determined

Product has not been tested. The statement is derived from the properties of the components.

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Flammable, Ignition hazard.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: acids

## 10.4. Conditions to avoid

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
67-63-0	propan-2-ol						
	oral	LD50	5840 mg/kg	Rat	OECD 401		
	dermal	LD50	13900 mg/kg	Rabbit	OECD 402		

#### Irritation and corrosivity

Causes serious eye irritation.

## Sensitising effects

Based on available data, the classification criteria are not met.

## STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol)

## Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

## Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## primoclean

Print date: 30.01.2023 Product code: 1370160 Page 6 of 8

#### **Further information**

Product has not been tested. The statement is derived from the properties of the components.

#### **SECTION 12: Ecological information**

### 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name								
	Aquatic toxicity	Method	Dose	[h]   [d]	Species	Source			
67-63-0	propan-2-ol								
	Acute fish toxicity	LC50	9640 mg/l		Pimephales promelas (fathead minnow)				
	Acute algae toxicity	ErC50	> 100 mg/l	72 h					

### 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### 12.4. Mobility in soil

The product has not been tested.

## 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

## Land transport (ADR/RID)

**14.1. UN number:** UN 1219

14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es): 3 Ш 14.4. Packing group: Hazard label: 3 Classification code: F1 **Special Provisions:** 601 Limited quantity: 1 L Transport category: 2 Hazard No: 33 Tunnel restriction code: D/E



according to Regulation (EC) No 1907/2006

primoclean

Print date: 30.01.2023 Product code: 1370160 Page 7 of 8

Other applicable information (land transport)

E2

Inland waterways transport (ADN)

**14.1. UN number:** UN 1219

14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Classification code:F1Special Provisions:601Limited quantity:1 L

Other applicable information (inland waterways transport)

E2

Marine transport (IMDG)

**14.1. UN number:** UN 1219

14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:-Limited quantity:1 LEmS:F-E, S-D

Other applicable information (marine transport)

E2

Air transport (ICAO)

**14.1. UN number:** UN 1219

14.2. UN proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3Special Provisions:A180Limited quantity Passenger:1 L

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

Other applicable information (air transport)

E2

Passenger-LQ: Y341

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable



according to Regulation (EC) No 1907/2006

## primoclean

Print date: 20.03.2015 Product code: 1370160 Page 8 of 8

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

### Relevant R-phrases (Number and full text)

Highly flammable.Irritating to eyes.

Vapours may cause drowsiness and dizziness.

#### Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)